# Medical rescue drone responds to cardiac events almost 9 minutes

# faster than EMS.

Thank you to Max Du for the use of his CWSF 2022 project as an example of the template. This a design example and not a direct copy of the project.

## Why?

If our loved ones are undergoing cardiac arrest at home, they have two challenges:

- They need immediate rescue since the survival chances are close to zero within 10 minutes. However, the average EMS response time is 9 minutes or longer in cities US/Canada, only 10.6% survive.
- 2. If they are home alone, only 4% survive. Among the 326,200/year OHCA (Out-of-Hospital Cardiac Arrest) patients in the US, 80% happen at home, over half are unwitnessed.

### 

**Step 1: Develop Design Criteria and Conceptual Design** Based on my Preliminary Designs, three doctors and four engineers were consulted for professional insights and advice. I worked out the Design Criteria and Conceptual Design.

Design solution to the immediate rescue challenge
 Locate and approach patients in seconds, upstairs







Currently, community medical bystanders are a worldwide solution by providing patients with CPR /defibrillators before EMS arrives, but only 38.7% of the arrest is witnessed by bystanders, and this solution is not applicable in rural, remote areas. In recent years, drones have been used to help save cardiac arrests. For example, a drone delivers AED (automated external defibrillators) in OHCA. These drones fly outdoors in cities or rural areas providing medical supplies but leaving the rescue to human rescuers. None of these

- or downstairs.
- Emergency Medication Delivery
- Design solution to unwitnessed cardiac arrests
  Enable surveillance connection with EMS team through live video
  - Open room doors

### Step 2: System-level Design

The design has four primary subsystems: drone, medication delivery, door opening, electronics controls.



drones are designed to help indoor patients directly.

The 10% low survival rate in the past 30 years is unacceptable, and current solutions are limited.

This is why I set out to innovate a Pre-hospital Indoor Rescue Drone to solve these two biggest challenges with goals:

1. Start rescue faster before EMS arrives

2. Help save those patients home alone as well.

I hope to increase survival chances, shorten recovery times and reduce healthcare costs.

**Step 3: Detailed Engineering Design - Mechanical and Electrical** Designed three auto-injection designs, four arms, and three grippers. After functionality comparison, low-fidelity testing, the arm system designs were either too heavy to fly or ineffective in arm raising. But I refused to give up. I added a "cap" to the gripper, solving both the arm raising and the gripper support issue. To verify design feasibility, I made mechanical and electrical design drawings:



## 

### Step 4: Prototyping, Testing, and Coding

The prototype was fabricated, tested, and coded iteratively until it worked. For example, the base and gripper were modified. Arduino IDE was used to create motor control sketches and code for Wixels. To solve the unbalanced flight issue, the equilibrium point of the assembly was calculated. For costsaving, I have been resourceful to utilize existing materials. For example, I borrowed my mom's selfie stick for the arm system, my dad's camping air pump to test a design idea, my sister's floss kit for the pillbox.





## 

Currently, the assembled prototype is automated and operational. The design is valid for:

- 1. Locating and approaching patients instantly
- 2. Emergency medication delivery with a pillbox and intramuscular auto-injector close to patients within an optimal distance for the auto-injection and close enough for the patient to reach the pillbox
- 3. Opening room doors through an extendable arm-gripper system

### **Drone Payload Test Result**

The flight was balanced, and the drone was switched from Holystone to DJI Mavic 3 for the highest payload capacity 895g and flying stability, based upon the likely weight of the assembly which was calculated as 786g and much higher than the Holystone Drone payload capacity of 60g.

Solutions Comparison		Pre-Hospital Rescue Drone		AED Delivery Drone		ommunity edical Bystander	EMS
Intervention Timing	-	Instant, 1-2 mins flying upstairs in testing Landed average 3-6 cm from the patient	-	2 mins faster than EMS Arrived within a median of 9 m from the patient.	-	Varies Availability Not guaranteed	≥ 9 mins
Witness Coverage	-	All, include patients home alone 24/7 standby Provide EMS with patient's situation and precise indoor location	- -	Most effective in cities, but not around high- rise buildings Must in a controlled airspace for drone flying Not dispatched during dark, rainy, or high-wind conditions	-	38.7% Not applicable to remote & rural areas	10.9%
Emergency Medication Delivery	-	Instantly send prescribed pills/injection close to patient's hands, potentially place a life-saving intervention directly in the hands of patients Deliver emergency medication to patients under surveillance, an intramuscular auto- injection can be activated by an EMS team Personal prescribed emergency medicine or any of general life saving	-	Deliver AED Defibrillator to public location or drop outside of a house Require human rescuer on ground to complete pick up and rescue	-	CPR Defibrillator (often with limited access)	EMS rescue and care



Door opening design							
Improvements: Faster Rescue & Witness More Patients							

**Drone Locating and Approaching Patient Test Result -** The drone instantly located and approached a person who collapsed on the 2nd floor of a house, by using "Return to Home" function of the drone upon the preset GPS coordinates of "Home Point" of the person, as tested within an average of 55 seconds. - Solved the "flapping" flight issue which cost a pair of propellers.

Emergency Medication Delivery Test Result - After landing by the patient, the nozzle tip of the injector was average 3-6 cm away, which is the optimal distance for the auto-injection and close enough for the patient to reach the pillbox; the auto-injection was completed

- Solved Broken Injector Nozzle
- Solved Broken Pulley of Injection

**Door-Opening Test Result -** Arm gripper system opened door by running the pre-programmed coding on my computer which could control the motor on the drone from a distance of 15m through the electronic control system via an Arduino microcontroller and two Wixels.

## 

1. Making the World Healthier - Faster rescue and early patient surveillance before EMS arrives significantly enhance survival rates. Instant Emergency Medication

## What's Next?





- Delivery within 6 minutes, increasing likelihood of recovery and reducing burden on healthcare system
- 2. Tool Can be Adopted by EMS system Knowing patient situation helps speeding diagnoses and the precise indoor location helps locate patient faster
- 3. Great Commercial Potential Fills market gap of cardiac arrest patients for faster rescue and early intervention, features can be expanded
- 4.Innovation Contribution First indoor prehospital rescue drone designed to help save cardiac arrests at home, unique medication delivery under surveillance system, novel door opening system.

Ultimately, this innovation unlocks a novel solution for life-saving and expands unmanned aerial vehicles application for indoor emergency rescue.

### Thanks and References

### Big thanks to everyone who helped me and encouraged me through this innovation:

Alvin Qi, who shared emergency medication knowledge and practices; Dr. Michael Tymianski, well known Neurosurgeon and NA-1 inventor, helped to confirm nerinetide applicability for EpiPen delivery; Mark Piitz at Stroke Robotics and Recovery Laboratory helped me with research about early intervention Disease Company impacts on post-arrest neurological disability; Dr. Jane Cho, a family doctor, gave me feedback on designs and wider applications; David Stories and Max Ma, my FTC robotics team engineer mentors, provided me suggestions on mechanical and electronics engineering; Kun Gong, Software Engineer at CNRL helped me with the configuration of wixel code; Jared Crebo, Mechanical Lead for Schulich UAV for explanation on the drone center of gravity; Queen Elizabeth High School, FTC Team and Schulich UAV for providing 3D printing and fabrication suppor

Rea TD;Eisenberg MS;Becker LJ;Lima AR;Fahrenbruch CE;Copass MK;Cobb LA; (n.d.). Emergency medical services

Pugh, A. E., Stoecklein, H. H., Tonna, J. E., Hoareau, G. L., Johnson, M. A., & Youngquist, S. T. (2021). Intramuscular adrenaline for out-of-hospital cardiac arrest is as ation plus. 7. 100142. https://doi.org/10.1016/i.resplu.2021.10014

.. Janmohamed, A., Bvers, A., Buick, J. E., Zhan, C., Schoellig, A. P., Checks, S., Morrison, L. J., &amp: Chan, T.

Graham, RM, McCoy, MA, Shchultz, AM. Eds. Strategies to Improve Cardiac Arrest Survival: A Time to Act. Washington, DC: National Academies Press; 2015.

The chain of survival. Sudden Cardiac Arrest Foundation. (n.d.). Retrieved April 24, 2022, from https://www.sca-aware.org/campus/the-chain-of-surviva Response time trends. Response Time Trends - 911 Reporting. (n.d.). Retrieved April 24, 2022, from https://www1.nvc.gov/sit

2/30/2014. P. on. (2014). AHA release

Barnes. S. (2021, March

ansen From Department of Cardiology

CS.) and Internal Medicine (M.A.M.R.), Rogers, M. A. M., Mary A.M. Rogers From the Departments of Emergency Medicine (C.S.) and Internal Medicin ency Medicine (C.S.) and Internal Medicine (M.A.M.R.). Kellermann, A. L., Arthur L. Kellermann From the Departments of Emergency Medicine (C.S.) and Internal Medicine (M.A.M.R.), & Sasson, C. to C. (2009, November 10). Predictors of survival from out-of-hospital cardiac arrest. Circulation: Cardiovascular Quality and Outcomes. Retrieved March 10, 2022, from https://www.ahajournals.org/doi/10.1161/circoutcomes.109.889576

Saving lives. Heart and Stroke Foundation of Canada. (n.d.). Retrieved March 10, 2022, from https://www.heartandstroke.ca/what-we-do/our-impact/saving-live ScienceDaily. (2018, February 26). Cardiac arrest survival greatly increases when bystanders use an automated external defibrillator. ScienceDaily. Retrieved March 10, 2022, from https://www.sciencedaily.com/releases/2018/02/180226085812.htm

ibrium example problem, (n.d.), Retrieved March 10, 2022, from http://web.mit.edu/4.441/1\_exprobs/1\_exprob\_7/1\_exprob\_71.htm Vergano, D. (2018, August 6). Paramedics often give this shot after a heart attack. new data shows it's leading to brain damage. BuzzFeed News. Retrieved March 10, 2022, from

Yousuf T;Brinton T;Ahmed K;Iskander J;Woznicka D;Kramer J;Kopiec A;Chadaga AR;Ortiz K; (n.d.). Tissue plasminogen activator use in cardiac arrest secondary to fulminant pulmonary embolism. Journal of clinical medicine research Retrieved March 10, 2022 from https://pubmed.ncbi.nlm.nih.gov/26858790/#~text=Background%3A%20Tissue%20plasminogen%20activator%2

YouTube. (n.d.). YouTube. Retrieved March 10, 2022, from https://www.youtube.com/results?search\_guery=solidworks%2Bvideo%2Banimatio

ov. A. (2022, March 10), Alberta EMS funding details released: union says there's no staff, Global News, Retrieved May 13, 2022, from https://gl

ges public awareness and action after collapse of Danish soccer player, Christian Eriksen. Sudden Cardiac Arrest Foundation. Retrieved May 13, 2022, fro on 06/24/2021. P. on. (n.d.)

nber 4). Cardiac arrests - what you need to know. Kids First Aid. Retrieved May 13, 2022. from https://www.kidsfirstaid.com.au/blog/2019/11/cardiac-a nay improve bystander CPR but not survival in black people. Medical Xpress - medical research advances and health news. Retrieved May 13, 2022, from

02/26/2020, P. on. (n.d.). Sudden cardiac arrest vs. heart attack: Public confusion is putting thousands of lives at risk. Sudden Cardiac Arrest Foundation. Retrieved May 13, 2022, from https://www.sca-aware.org/sca-news/sudde cardiac-arrest-vs-heart-attack-public-confusion-is-putting-thousands-of-lives-at

SOLIDWORKS, Flashforge, Femap, Nastran, Google Docs, Google Sheets, Pololu Wixel Configuration Utility, Arduino, PuTTy, Tinkercad